



# HZ-65000-G Series

HZ-65000-G-M Monochrome HZ-65000-G-C Color









## HZ-65000-G: 100GigE camera with Gpixel GMAX3265

HZ-65000-G features the Gpixel GMAX3265 CMOS sensor. Benefits include low noise, high dynamic range, and high frame rates. At full resolution (9344 x 7000), you get 71 frames per second in 8-bit mode. Its ultra high-speed 100GigE QSFP28 interface offers many benefits including low-cost accessories, low CPU overhead, low latency, low jitter, and accurate multi-camera synchronization using IEEE1588. In addition, 100GigE QSFP28 offers three supported cabling options for cable lengths from 1M to 10KM.

#### **Benefits**

- » High-speed QSFP28 100GigE
- » 100x the speed of GigE
- » Ultra high data/frame rates
- » GigE Vision® and GenlCam™ compliant

#### **Applications**

- » Virtual Reality
- » Goal Line Technology
- » Volumetric Capture
- » Motion Capture
- » Immersive 3D Content
- » Finish Line Vision
- » Referee Assist
- » Flat Panel Inspection
- » Machine Vision

#### **Specifications**


Sensor	GMAX3265
Resolution	9344 x 7000
Megapixels	65.4MP
Sensor Type	35mm CMOS
Max Frame Rate	71fps @ 8-bit 71fps @ 10-bit
Cell Size	3.2×3.2μm
Standard Mount	M52 Mount, EF/F Mount Available
Shutter	Global
Bit Depth	8 & 10 Bit
GPIO / Triggering	3 in, 3 out Software, External (Pulse or Edge)
Interface	100GigE QSFP28
Exposure/Integration*	1μs - 1s
Dynamic Range	>66db
Monochrome Modes	Mono8, Mono10
Raw Modes	BayerGB8, BayerGB10
Operating System	Win10 (64 bit), Linux (64 bit)
Compliance	CE, FCC, RoHS, WEEE, GigE Vision, GenlCam
Power Requirements	18W, 12V
Operating Temperature	0C - 45C
Storage Temperature	-30C to +60C
Dimensions & Weight	97 x 66 x 73 - 750g
Warranty	2 Years


<sup>\*</sup>all minimum exposure specs can vary from what is listed based on the limitations of each sensor as per notice from the manufacturer.


<sup>\*</sup>fanless and IP67 options available. Please contact your sales representative for details.





### **Mechanical drawings**











#### Any Questions?

1-866-780-6082 sales@emergentvisiontec.com https://emergentvisiontec.com